






















Price list 2023e	Quote N°	Date :	Order date	Project - Company
TensEazy Configurator	Name :		VAT / GST number	Invoice address
			Your PO number	

Edition Novembre 2023 - Sous réserve d'erreurs typographiques.

TARIFS PUBLICS HT CONSEILLÉS. Les tarifs sont applicables jusqu'au 31/12/2023 et peuvent faire l'objet de réajustements lors de cette période pour suivre les variations de changes, de charges et de coûts des matières premières.

Descriptive	reference	Brand / model	Notes	Qty	Retail price exVAT	discount	Net price	Total net price
 TensEazy eSense.SL06			Wireless load sensor for webbings, loops or lashing at both ends	0	1 086.00 €		1 086.00	- €
 TensEazy eSense.SL20			Body material : Titanium Ti 6Al-4V Inductive wireless power battery charging	0	1 592.00 €		1 592.00	- €
 TensEazy eSense.SL50			Operating time: 2400h @ 0.5Hz TX rate Optionnal 2nd battery (Except SL06, SL20)	0	1 992.00 €		1 992.00	- €
 TensEazy eSense.SL100			Protection : IP67 Supplied with Magnetic switch-off pad, user manual, calibration certificate	0	2 383.00 €		2 383.00	- €
 TensEazy eSense.SL200			Other specifications on request	0	2 844.00 €		2 844.00	- €
 TensEazy eSense.TB 1/4"			Wireless load turnbuckles to replace existing standard turnbuckles.	0	1 221.00 €		1 221.00	- €
 TensEazy eSense.TB 5/16"			Body material : Stainless steel APX4 or CuproAlu CuAl9Ni3Fe2	0	1 934.00 €		1 934.00	- €
 TensEazy eSense.TB 3/8"			Inductive wireless power battery charging	0	2 371.00 €		2 371.00	- €
 TensEazy eSense.TB 1/2"			Operating time (in continuous operation) : 1140h @ 1Hz TX rate	0	2 142.00 €		2 142.00	- €
 TensEazy eSense.TB 5/8"			Optionnal 2 nd batterie except TB1/4, TB5/16 Protection : IP67	0	2 310.00 €		2 310.00	- €
 TensEazy eSense.TB 3/4"			Supplied with Magnetic switch-off pad, user manual, calibration certificate	0	2 623.00 €		2 623.00	- €
 TensEazy eSense.TB 7/8"			Other specifications on request	0	2 829.00 €		2 829.00	- €
eSense.HL18			Load sensors designed for hard link attachments to custom or standard hardware components. Inductive wireless power battery charging Operating time (in continuous operation) : 1140h @ 1Hz TX rate Optionnal 2 nd batterie except eSense.HL20 Body material: Titanium Ti 6Al-4V hard fittings material: 17.4ph Protection: IP67 * Safe working and breaking loads depend of adjoined parts.	0	1 692.00 €		0.00	- €
			End 1 : Standard bail Tylaska ISB08	0	119.00 €		0.00	
			End 1 : Large bail Tylaska ILB08	0	124.00 €		0.00	
			End 1 : Clévis bail Tylaska ICB08	0	134.00 €		0.00	
			End 1 : Stud M10x1.5 - L 20mm	0	32.00 €		0.00	
			End 1 : Harken® BlackMagic 57mm block	0	246.00 €		0.00	
			End 2 : Snap shackle Tylaska T08	0	208.00 €		0.00	
			End 2 : spreader for soft textile attachment	0	71.00 €		0.00	
			Swivel lock : to prevent rotation at both ends	0	38.00 €		0.00	
			Subtotal TensEazy eSense.HL18	0	- €		0.00	- €
eSense.HL45			Select one option for each end. Fitting end 1 (top): no free rotation with the sensor body except with Harken blocks. Fitting end 2 (bottom): swivel : free rotation with snap shackle and bolt. Can be locked with the swivel lock. Stud option comes with washer and nut. Supplied with Magnetic switch off pad, user manual, calibration certificate	0	1 888.00 €		0.00	- €
			Load sense only, without Ends. Safe Working Load: 4500Kg* (+150%) Breaking load: 9000Kg*	0	150.00 €		0.00	
			End 1 : Standard bail Tylaska ISB20	0	166.00 €		0.00	
			End 1 : Large bail Tylaska ILB20	0	181.00 €		0.00	
			End 1 : Clévis bail Tylaska ICB20	0	42.00 €		0.00	
			End 1 : Stud M16x2 - L 30mm	0	519.00 €		0.00	
			End 1 : Harken® BlackMagic 75mm block	0	697.00 €		0.00	
			End 1 (top): Harken® BlackMagic 100mm block	0	311.00 €		0.00	
			End 2 : Snap shackle Tylaska T20	0	105.00 €		0.00	
			End 2 : spreader for soft textile attachment	0	49.00 €		0.00	
			Swivel lock : to prevent rotation at both ends	0			0.00	
			Subtotal TensEazy eSense.HL45	0	- €		0.00	- €
eSense.HL70			Load sense only, without Ends. Safe Working Load: 6800Kg* (+150%) Breaking load: 13600Kg*	0	220.00 €		0.00	
			End 1 : Standard bail Tylaska ISB30	0	275.00 €		0.00	
			End 1 : Large bail Tylaska ILB30	0	302.00 €		0.00	
			End 1 : Clévis bail Tylaska ICB30	0	57.00 €		0.00	
			End 1 : Stud M20x2.5 - L 50mm	0	993.00 €		0.00	
			End 1 (top): Harken® BlackMagic 125mm block	0	1 803.00 €		0.00	
			End 1 (top): Harken® BlackMagic 150mm block	0	616.00 €		0.00	
			End 2 : Snap shackle Tylaska T30	0	179.00 €		0.00	
			End 2 : spreader for soft textile attachment	0	62.00 €		0.00	
			Swivel lock : to prevent rotation at both ends	0			0.00	
			Subtotal TensEazy eSense.HL70	0	- €		0.00	- €
eSense.HL90			Load sense only, without Ends. Safe Working Load: 9000Kg* (+150%) Break load: 18000Kg*	0	391.00 €		0.00	
			End 1 : Standard bail Tylaska ISB40	0	522.00 €		0.00	
			End 1 : Large bail Tylaska ILB40	0	561.00 €		0.00	
			End 1 : Clévis bail Tylaska ICB40	0	87.00 €		0.00	
			End 1 : Stud M27x3 - L 70mm	0	4 828.00 €		0.00	
			End 1 (top): Harken® MegaYacht 150mm block	0	1 133.00 €		0.00	
			End 2 : Snap shackle Tylaska T40	0	251.00 €		0.00	
			End 2 : spreader for soft textile attachment	0	80.00 €		0.00	
			Swivel lock : to prevent rotation at both ends	0			0.00	
			Subtotal TensEazy eSense.HL90	0	- €		0.00	- €

	eSense.KF12 Wireless load sensor on Karver KF12 furler Price given for loadcell part only	Max safe working load : 12T Breaking load : 24T	0	3 930.00 €		3 930.00	- €
	eSense.FCR12 Wireless load sensor on Facnor 12T furler Price given for loadcell part only	Max safe working load : 12T Breaking load : 24T	0	3 680.00 €		3 680.00	- €
	eSense.FCR25 Wireless load sensor on Facnor 25T furler Price given for loadcell part only	Max safe working load : 25T Breaking load : 50T	0	4 810.00 €		4 810.00	- €
PROtect tapes LoopX® PLT0760120613T		12mm x 3m - MWL : 515 Kg (8 turns)	0	31.00 €		31.00	- €
PROtect tapes LoopX® PLT0760191213T		19mm x 3m - MWL : 1030 Kg (8 turns)	0	50.00 €		50.00	- €
PROtect tapes LoopX® PLT0760250133W		25mm x 3m - MWL : 4120 Kg (8 turns)	0	90.00 €		90.00	- €
Wired output option		Replaces wireless transmission with wired mV/V output	0	-558.00		-558.00	- €
2nd Batterie option for eSense		Doubles the battery life. Not available for eSense.SL06, eSense.SL20, eSense.HL18, eSense.TB1/4, TB5/16	0	128.00 €		128.00	- €
Wireless charger		Clip on pad for wireless charging of the TensEazy sensors Qi certified wireless charging technology 5Vdc (USB) power supply - Supplied with USB cable	0	98.00 €		98.00	- €
Hard case for TensEazy sensors and accessories		 Dimensions : W240xD195xH112	0	138.00 €		138.00	- €
TensEazy external module		 Allows wireless transmission from a wired sensor 1 mV/V input 1 wirelessly transmitted data Overall dimensions : L53 x W34 x H34 - Weight : 200gr	0	688.00 €		688.00	- €
TensEazy Gateway		 Allows the load data received to be transmitted to most navigation instruments and to the on-board display network NMEA2000, NMEA0183, NKE compatible Compatible with B&G warning function, NKE, Sailmon, Garmin,.... Basic data logging for post-processing/replay (*.csv file) IPX5 protection Easy set-up by Wifi (integrated web server) LEDs for status indication and TX/RX activity Dimensions (mm) : W100 x H100 x D28	0	487.00 €		487.00	- €
TensEazy I/O hub		 Wireless TX module providing analogue and loadcells inputs for sensors and relay outputs for actuators. - up to 6 analogue inputs 0-5v or 0-10v - Up to 4 mV/V inputs for direct loadcells and strain gauges connexion - Up to 4 relays outputs - External 2.7 to 28 vdc or internal batterie power supply - Dimensions : W119 x D65 x H40 (excluding cable glands and antenna)	0	532.00 €		0.00	
		Base module including wireless transmission, antenna, external 2.7 to 28 vdc power supply	0	40.00 €		0.00	
		Analogue inputs : 0 to 5 v or 0 to 10 v Up to 6 inputs	0	423.00 €		0.00	
		Loadcell / strain gauge Amplifiers : for direct loadcells and strain gauges connexion	0	65.00 €		0.00	
		Relay outputs : Dry contact or battery voltage signal up to 4 outputs	0	156.00 €		0.00	
		Internal battery	0	- €		0.00	- €
		Subtotal I/O TensEazy I/O hub	0	- €		0.00	- €
TensEazy receiver module		BT Receiver integrated to the ODS controllers (UpSideUp - Sailin' Ctrl)	0	183.00 €		183.00	- €
TensEazy Android App		 Monitoring application for Android or iOS mobile device : - Uncluttered dashboards for hands-on measurement. - Displays data from 1 or several TensEazy devices - Real time measurement projects via highly configurable dashboard - Data presented as mathematical expressions to define exactly what gets displayed - Displays the Max, Average, Std deviation value - Manages the calibration process - Basic data logging capacity	1	For free			
TensEazy Data Logger		 Data Recorder for data collecting, synchronising and recording. Carrying out the following tasks : - Collecting data from sensors, Fiber optics, nav instruments, inertial motion sensor,... (Up to 100Hz Fiber optics data collection) - real time processing - Data logging - Data transmission to NMEA2000 network, NMEA0183, NKE - Calculates MaxEverReach and MaxDailyReach value of any variable.	0	1 426.00 €		0.00	
TensEazy logger custom setup		When specific setup is required : (extra load sensors, inertial motion sensor, specific data recording,...)	0	564.00 €		0.00	
Battery option for TensEazy logger		Specifications on request	0	250.00 €		0.00	
		Subtotal I/O TensEazy logger	0	- €		0.00	- €
External antenna for TensEazy logger, Hub, Gateway, ODS Controllers		 Recommended for longer range	0	124.00 €		124.00	- €
Coaxial cable for external BT antenna		Low loss RP-SMA connectors	0	32.00 €		32.00	- €
		1 meter	0	48.00 €		48.00	- €
		2 meters	0	64.00 €		64.00	- €
		3 meters	0				
ControlCenter software		 Powerful user interface running on PC (Windows - Linux - Mac OS) - Monitoring: Displays all the data from both TensEazy devices and other data flows connected on the TensEazy logger - Wide range of display widgets and data representation for high level, accurate and comprehensive dashboards - Log files management - System settings and administration - Ethernet or Wifi connexion with the data logger	0	Consult us			
			Number of items	1	Amount exVAT	- €	
			VAT	0.0%	amount TTC	- €	

Payment terms

Downpayment	100%	With purchase order	▼	- €

Warranty

2 years	TensEazzy Logger - Hub - Gateway
1 year	Sensors
Warranty return to workshop against any manufacturing defect. Ocean Data System will ensure exclusively the maintenance of the furnished material during the warranty period and the general maintenance of cables and of the fittings during one year after the end of the installations.	

Quote terms

Quotation validity	02/05/24	1 month
<i>Delivery delay from purchase order date (Indicative)</i>	5 weeks	

Bank details

Paying Bank	BPATL.LORIENT KERYADO	BIC / SWIFT	CCBPFPPNAN
RIB	13807 00027 27021274576 56	IBAN	FR76 1380 7000 2727 0212 7457 656

Acceptation

Important :
 This order form is associated to the given quotation number and to the terms of sales printed on the quotation form and at the back of this document. The signature by the customer implies the full acceptance of the terms indicated in the quotation and of the general terms of sales, notably the article Number 6.5 about penalties for late payment.

Agreement

Customer signature